



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBW6305G26631-3G-1-PO
Job Sheet 185461



Part No: RBW6305G26631-3G-1-PO **Job Qty:** 8 ea

Part Name: Pin



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/26/18

Job Tracking No:

Due Date: 12/17/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBW6305G26631-3G Rev.2 IPP Rev. A 18.10.23 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	8 pcs		12/17/18	0.00	0.00	Purchasing		DEC 17 2018
110	Packaging	8 pcs		12/17/18	0.00	0.00	Packaging2		DEC 17 2018
120	QC	8 pcs		12/17/18	0.00	0.00	QC6		38
130	Packaging	8 pcs		12/17/18	0.00	0.00	Packaging3		DEC 17 2018
140	QC21-FG	8 Ea		12/17/18	0.00	0.00	QC21		21 DEC 18 2018

Part Op 100 - Issue P/O: 041362 MANUFACTURE RBW6305G26631-3G-1 AS PER DWG Supplier: METEC Certificate of Descriptions: conformity is required

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBW6305G26631-3G-1P	Pin	8 (1 ea)	100-Purchasing	5137916

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	RBW6305G26631-3G-1P	8	0	0

Part Specifications

Specifications could not be found.



Container No: S137918



Part: RBW6305G26631-3G-1

Job No: 185461

Serial No/Batch: S137918

Revision: 2

Inspector:

Exp Date:

Instructions:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 12/17/18

Plex 10/26/18 1:42 PM dart.Lussier.Patrick

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A	14-0156	CH'D TITLEBLOCK WAS RED BARN IS DART. -5 CH'D PART #'S ON CARD WAS RBW6305G26631-3 IS RBW6305G2661-3G-1, WAS RBW6305G26631-3 IS RBW6305G26631-3G-3.	9/19/2014	DJN	RJC
2	16-0132	-1 CH'D DIM WAS (Ø1.375) IS Ø1.38, WAS 3.935 IS 3.94, WAS (.83) IS .83, WAS Ø.313 S.F. -3 THRU ALL IS Ø.3168/.3150 THRU ALL (S.F. -.3), ADDED DIM 2X .03 X 45°. -3 CH'D DIM WAS (Ø.313) IS .31 (S.F. -.1). CH'D FINISH WAS BLACK ANODIZE, IS BLACK OXIDE SPEC QMSI-6.2.2. B.O. REV D, CH'D MATERIAL WAS 1018 IS 1018/1020 CR. -5, -7, -9 CH'D DWG. TO SHEET METAL TOLERANCES. -5 DELETED TEXT HT. NOTES, CH'D DIM WAS (.06) IS .06 ADDED NOTE USE PDF. -7, -9 CH'D MATERIAL & VENDOR WAS Y20 BLACK, I.R. SPECIALTIES IS ETHAFOAM 220 BLACK, (CASE SOLUTIONS). -7 DELETED DIM'S 4X .37, 4X 1.44, 4X 3.15, 4X .68, 4X .85, 4X R.72, ADDED DIM'S 6X R.50, 4X .75, 4X 45°, CH'D DIM WAS 3.95 IS 3.92, WAS .37 IS .34. -9 DELETED DIM 4X R.45, ADDED DIM'S 4X .45, 4X 45°, 1.00, CH'D DIM'S WAS 4.03 IS 4.06, WAS 1.20 IS 1.17.	11/10/2016	RJC	JAG





NOTE:
REF. AGUSTA T/N: 3G6305G26631.

DART AEROSPACE															
TITLE MGB ALIGNMENT PINS															
DWG NO. RBW6305G26631-3G	REV 2														
<table border="1"> <tr> <td>MAT'L</td> <td rowspan="4">UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS ± 1/8 .XXX ± .005 .XX ± .01 .X ± .1 ANGLES ± .5° SURFACES = 12S/✓</td> </tr> <tr> <td>HEAT TREAT</td> </tr> <tr> <td>FINISH</td> </tr> <tr> <td>SPEC</td> </tr> <tr> <td>DRAWN BY: MARPET</td> <td rowspan="4"> 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL AW139 </td> </tr> <tr> <td>CHECKED: MACKOVJAK</td> </tr> <tr> <td>OPPS APPR: ANDERSON</td> </tr> <tr> <td>QA APPR: LINDSAY</td> </tr> <tr> <td>APPROVED: GILBERT</td> <td></td> </tr> <tr> <td>SCALE 1:4</td> <td>DATE 5/30/2013 SHEET 1 OF 6</td> </tr> </table>		MAT'L	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS ± 1/8 .XXX ± .005 .XX ± .01 .X ± .1 ANGLES ± .5° SURFACES = 12S/✓	HEAT TREAT	FINISH	SPEC	DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL AW139	CHECKED: MACKOVJAK	OPPS APPR: ANDERSON	QA APPR: LINDSAY	APPROVED: GILBERT		SCALE 1:4	DATE 5/30/2013 SHEET 1 OF 6
MAT'L	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS ± 1/8 .XXX ± .005 .XX ± .01 .X ± .1 ANGLES ± .5° SURFACES = 12S/✓														
HEAT TREAT															
FINISH															
SPEC															
DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL AW139														
CHECKED: MACKOVJAK															
OPPS APPR: ANDERSON															
QA APPR: LINDSAY															
APPROVED: GILBERT															
SCALE 1:4	DATE 5/30/2013 SHEET 1 OF 6														



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	4	PIN	BRASS		2
			-3	4	HANDLE	1018/1020 CR	(MCMaster-CARR #8920K265) MODIFIED	3
			-5	1	PLACARD	PLASTIC		4
		B/O	-7	1	BOTTOM FOAM	ETHAFOAM 220, BLACK	3.92 X 9.08 X 11.98 (CASE SOLUTIONS)	5
		B/O	-9	1	TOP FOAM	ETHAFOAM 220, BLACK	1.17 X 9.08 X 11.98 (CASE SOLUTIONS)	6
		B/O	-11	1	CASE	PLASTIC, BLACK	PELICAN #APP-1400-E	N/S
		B/O		1	PLACARD	ALUMINUM	RB41011	N/S

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
2	16-0132	-1 CH'D DIM WAS (Ø1.375) IS Ø1.38, WAS 3.935 IS 3.94, WAS (.83) IS .83, WAS Ø.313 S.F. -3 THRU ALL IS Ø.3168/.3150 THRU ALL (S.F. -3), ADDED DIM 2X .03 X 45°.	11/10/2016
			INITIAL
			APPROVED
			JAG



(-1)
PIN




DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-1	REV 2
MAT'L BRASS HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° X ± .1 SURFACES = 125/√	
1. BREAK ALL SHARP EDGES .015 x 45° OR .016R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: MARPET	USED ON MODEL
CHECKED: MACKOVJAK	AW139
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:2	DATE 1/23/2013
SHEET 2 OF 6	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0132	-3 CH'D DIM WAS (Ø.313) IS .31 (S.F. -1), CH'D FINISH WAS BLACK ANODIZE, IS BLACK OXIDE SPEC QMSI-6.2.2, B.O. REV D, CH'D MATERIAL WAS 1018 IS 1018/1020 CR.	11/10/2016	RJC	JAG

Ø.31
(S.F. -1)



2X .03 X 45°

(-3)



HANDLE



TITLE		MGB ALIGNMENT PINS	
DWG NO.		RBW6305G26631-3G-3	
REV		2	
MAT'L	1018/1020 CR	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
HEAT		.XXX ± .005 FRACTIONS ± 1/8	
TREAT		.XX ± .01 ANGLES ± .5°	
FINISH	BLACK OXIDE	.X ± .1 SURFACES = 125/✓	
SPEC	QMSI-6.2.2, B.O. REV D	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
DRAWN BY:	MARPET	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
CHECKED:	MACKOVJAK	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
OPPS APPR:	ANDERSON		
QA APPR:	LINDSAY	USED ON MODEL	
APPROVED:	GILBERT	AW139	
SCALE	1:2	DATE	1/23/2013
		SHEET 3 OF 6	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS							
REV	ECR	DESCRIPTION			DATE	INITIAL	APPROVED
1		-5 CH'D PART #'S ON CARD WAS RBW6305G26631-3 IS RBW6305G2661-3G-1, WAS RBW6305G26631-3 IS RBW6305G26631-3G-3.			11/9/2016		
2	16-0132	-5 DELETED TEXT HT. NOTES, CH'D DIM WAS (.06) IS .06 ADDED NOTE USE PDF, CH'D DWG TO SHEET METAL TOLERANCES.			11/10/2016	RJC	JAG



BLACK BACKGROUND W/
WHITE LINES AND LETTERS



NOTE:
USE PDF.

(-5)
PLACARD

DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-5	REV 2
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125/√
DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	AW139
SCALE 1:1	DATE 5/30/2013 SHEET 4 OF 6

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE
2	16-0132	-7 DELETED DIM'S 4X .37, 4X 1.44, 4X 3.15, 4X .68, 4X .85, 4X R.72, ADDED DIM'S 6X R.50, 4X .75, 4X 45°, CH'D DIM WAS 3.95 IS 3.92, WAS ∇ .37 IS ∇ .34, CH'D MATERIAL & VENDOR WAS Y20 BLACK, I.R. SPECIALTIES IS ETHAFOAM 220 BLACK, (CASE SOLUTIONS), CH'D DWG. TO SHEET METAL TOLERANCES.	11/10/2016
			INITIAL
			APPROVED
			JAG






⑦
BOTTOM FOAM

DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-7	REV 2
MAT'L ETHAFOAM 220, BLACK	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX $\pm$.010 FRACTIONS $\pm$ 1/8
FINISH FINISH	.XX $\pm$.03 ANGLES $\pm$ 1°
SPEC SPEC	.X $\pm$.1 SURFACES = 125/✓
DRAWN BY: MARPET	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: MACKOVJAK	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	AW139
SCALE 1:4	DATE 5/30/2013
SHEET 5 OF 6	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0132	-9 DELETED DIM 4X R.45, ADDED DIM'S 4X .45, 4X 45°, 1.00; CH'D DIM'S WAS 4.03 IS 4.06, WAS 1.20 IS 1.17, CH'D MATERIAL & VENDOR WAS Y20 BLACK, I.R. SPECIALTIES IS ETHAFOAM 220 BLACK, (CASE SOLUTIONS), CH'D DWG. TO SHEET METAL TOLERANCES.	11/10/2016	RJC	JAG



SECTION A-A

(-9)
TOP FOAM

DART AEROSPACE	
TITLE MGB ALIGNMENT PINS	
DWG NO. RBW6305G26631-3G-9	REV 2
MAT'L ETHAFOAM 220, BLACK	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT	.XXX ± .010 FRACTIONS ± 1/8
TREAT	.XX ± .03 ANGLES ± 1°
FINISH	.X ± .1 SURFACES = 125/
SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: MARPET	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: MACKOVJAK	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: ANDERSON	USED ON MODEL
QA APPR: LINDSAY	AW139
APPROVED: GILBERT	
SCALE 1:4	DATE 5/30/2013 SHEET 6 OF 6



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO041367

Supplier: MEM001-VC
Metec Metal Technology Inc.
20 Terry Fox Drive PO Box 781
Vankleek Hill
ON
K0B 1R0 Canada
Phone: 613 678 3957
Fax: 613 678 3956

Attention: Walz, Shigi

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO041367

PO Date: 10/16/18

Due Date: 12/17/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Phone:

Via: Ground

Pymt Terms: Net 60

Freight Terms:

Special Comments:

Revised

Items													
Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	185295	RBW6005G01631-3GP			Dial Indicator Swash Plate Scissors Support REV A	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$1,150.00/pcs	\$2,300.00
Line Item Note SIOP													
2	185392	RBW1205G00231-3Gp			Main Rotor Damper Oil Filling Adapter REV 2B	Firmed	-	12/17/18	3 pcs	0 pcs	3 pcs	\$1,000.00/pcs	\$3,000.00
Line Item Note SIOP													
3	185298	RBW6405G00332-3GP			Tail Rotor Pitch Control Adjustment Tool REV 5	Firmed	-	12/17/18	1 pcs	0 pcs	1 pcs	\$1,500.00/pcs	\$1,500.00
Line Item Note SIOP													
4	185299	RBW6005G01531-3GP			Dial Indicator Main Rotor Damper Support REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$900.00/pcs	\$1,800.00
Line Item Note SIOP													
5	185300	RBW6405G00531-3GP			Tail Rotor Damper Length Adjustment Tool REV A	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$700.00/pcs	\$1,400.00
Line Item Note SIOP													
6	185301	RBW6405G02131-3GP			Tail Rotor Blade Damper Attachment Bushing Removal REV D	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$500.00/pcs	\$1,000.00
Line Item Note SIOP													
7	185302	RBW6205G05951-3GP			RBW6205G05951-3GP REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$450.00/pcs	\$900.00
Line Item Note SIOP													



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041367**

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
8	185303	RBW3205G00151-3GP			Main Landing Gear R&R Wrench REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$400.00/pcs	\$800.00
Line Item Note SIOP ORDER 7393 22 Jan 2019													
9	185349	RBW6205G26631-3GP			Wrench, MR Scissor Retaining Nut Removal/Install REV 2	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$280.00/pcs	\$560.00
Line Item Note SIOP													
10	185352	RBW6205G26551-3GP			Main Rotor Scissor Locknut REV B	Firmed	-	12/17/18	2 Ea	0 Ea	2 Ea	\$175.00/Ea	\$350.00
Line Item Note SIOP 2X DEC 17 2018													
11	185353	RBW109-3101-58-2P			Hammer, Aluminum, Blade Corrosion and Voids Detection REV 3	Firmed	-	12/17/18	2 pcs	0 pcs	2 pcs	\$150.00/pcs	\$300.00
Line Item Note SIOP													
12	185354	RBW109-3101-58-1P			Hammer, Steel, Blade Corrosion and Voids Detection REV 3	Firmed	-	12/17/18	1 pcs	0 pcs	1 pcs	\$150.00/pcs	\$150.00
Line Item Note SIOP													
13	185406	RBW6205G03451-3GP			Bolt Guide Removal & Install REV 2B	Firmed	-	12/17/18	3 Ea	0 Ea	3 Ea	\$625.00/Ea	\$1,875.00
Line Item Note SUB ASSEMBLY OF RBW6205G00331-3G ORDER 7393 22 Jan 2018													
14	185407	RBW6205G08451-3GP			Puller Bolt Removal REV 2B	Firmed	-	12/17/18	3 Ea	0 Ea	3 Ea	\$625.00/Ea	\$1,875.00
Line Item Note SUB ASSEMBLY OF RBW6205G00331-3G 3X DEC 17 2018 ORDER 7393 22 Jan 2018													
15	185423	RBW6205G08031-3GP			Main Rotor Flanged Bushing Removal Tool REV 2	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$1,125.00/Ea	\$1,125.00
Line Item Note SUB ASSY FOR RBW6205G06231-3G 1X DEC 17 2018 ORDER 7393 22 Jan 2018													
16	185424	RBW6205G08131-3GP			Main Rotor Flanged Bushing Install Tool REV 2	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$1,125.00/Ea	\$1,125.00
Line Item Note SUB ASSY FOR RBW6205G06231-3G ORDER 7393 22 Jan 2018													
17	185429	RBW6405G08832-3GP			Tail Rotor Bushing Install Tool As Per Dwg RBW6405G08832-3G Rev/ D	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$875.00/Ea	\$875.00
Line Item Note SUB ASSY FOR RBW6405G08632-3G ORDER 7393 08 Jan 2019													



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041367**

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
18		RBW6405G08732-3GP			Tail Rotor Bushing Removal Tool RBW6405G08732-3G Rev. E	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$875.00/Ea	\$875.00
Line Item Note SUB ASSY FOR RBW6405G08632-3G													
19	185430	RBW6205G10451-3GP			Threaded Rod	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
20	185431	RBW6205G10551-3GP			Hammer	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
21	185432	RBW6205G10351-3GP			Guide REV 1	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
22	185433	RBW6205G10251-3GP			Threaded Rod	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
23	185434	RBW6205G10151-3GP			Pusher REV 1	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
24	185435	RBW6205G10651-3GP			Stop	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$208.33/Ea	\$208.33
Line Item Note SUB ASSY FOR RBW6205G08931-3G													
25	185461	RBW6305G26631-3G-1P			Pin REV 2	Firmed	-	12/17/18	8 Ea	0 Ea	8 Ea	\$56.25/Ea	\$450.00
Line Item Note SUB ASSY FOR RBW6305G26631-3G													
26	185462	RBW6305G26631-3G-3P			Handle REV 2	Firmed	-	12/17/18	8 Ea	0 Ea	8 Ea	\$56.25/Ea	\$450.00
Line Item Note SUB ASSY FOR RBW6305G26631-3G													
Grand Total:												\$23,959.98	

Order Notes

Procurement Quality Clauses
A005 RIGHT OF ENTRY
A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)
A012 CHEMICAL AND PHYSICAL TEST REPORTS
A016 PERSONNEL QUALIFICATION
A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
A026 CERTIFICATION OF MATERIAL CONFORMANCE
A041 QUALITY MANAGEMENT SYSTEM
A042 DART NOTIFICATION BY SUPPLIER
A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM
A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 11/29/18 8:45 AM dart.Lussier.Patrick

Packing List

Bill Dart Aerospace Ltd.
To: 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Canada

Ship Dart Aerospace Ltd.
To: 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Canada

Shipment No: 24384
Shipment Date: 13-Dec-2018
Ship Via: Pick up at METEC
Order Number: 3096
Order Date: 10/17/18

Customer Code: DART
Phone: (613) 632-9577
PO Number: PO041367 ✓
Terms: Net 60 Days

----- Quantity -----								Job
Item	Open	Shipped	B/O	Canceled	Unit	Description	Revision	Number
11	2	2 ✓	0	0	EA	DART-RBW6205G26551-3GP Main Rotor Scissor Locknut	B	3096-11
15	3	3 ✓	0	0	EA	DART-RBW6205G08451-3G M/R BLADE RETENSION BOLT PULLER	2B	3096-15
16	1	1 ✓	0	0	EA	DART-RBW6205G08031-3GP Main Rotor Flanged Bushing Removal Tool	2	3096-16
21	1	1 ✓	0	0	EA	DART-RBW6205G10551-3GP Hammer	-	3096-21
25	1	1 ✓	0	0	EA	DART-RBW6205G10651-3GP Stop	-	3096-25
26	8	8 ✓	0	0	EA	DART-RBW6305G26631-3G-1P MGB Alignment Pin	2	3096-26

DAS
 38
 9-89

The delivered goods must be inspected upon receipt to confirm compliance. Should there be discrepancies please notify METEC within 30 days of delivery. The goods are otherwise deemed accepted.

Received In Good Order By



20 Terry Fox Drive, Vankleek Hill, Ontario K0B 1R0
Tel. (613) 678-3957 & (613) 678-2782 Fax (613) 678-3956 metec@metec.ca

CERTIFICATE OF CONFORMITY

SOLD TO:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ont.
K6A 1K7

SHIPPED TO:

same

Quantity	Part Number	Part Name	Dwg Rev.#	P.O. Number
1 ✓	DART-RBW6205G26551- 3GP ✓	Main Rotor Scissor Locknut	B	41367 ✓
3 ✓	DART-RBW6205G08451- 3G ✓	M/R BLADE RETENSION BOLT PULLER	2B	41367 ✓
1 ✓	DART-RBW6205G08031- 3GP ✓	Main Rotor Flanged Bushing Removal Tool	2	41367 ✓
1 ✓	DART-RBW6205G10551- 3GP ✓	HAMMER	2	41367 ✓
1 ✓	DART-RBW6205G10651- 3GP ✓	STOP	-	41367 ✓
8 ✓	DART-RBW6305G26631- 3G-1P ✓	MGB Alignment Pin	2	41367 ✓

DAS
38
9-89

MATERIAL: supplied by METEC

We hereby certify that the above parts were made in conformance with applicable drawings.

METEC Metal Technology Inc.

